


UNCLASSIFIED

Approved For Release 2009/07/29 : CIA-RDP80T00246A003000810001-8

PAGE 7 OF 7 PAGES



UNCLASSIFIED

FIGURE # 3
HUNGARIAN STATE RAILWAY SYSTEM

ILLEGIB

25X1

25X1

25X1

Approved For Release 2009/07/29 : CIA-RDP80T00246A003000810001-8

INFORMATION REPORT		This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.	
PREPARED AND DISSEMINATED BY CENTRAL INTELLIGENCE AGENCY		4/50	
COUNTRY Hungary			
SUBJECT Details of Switch and Rail Systems Used by Hungarian State Railroad	DATE DISTRIBUTED 28 February 1958		
	NO. OF PAGES 3	NO. OF ENCLS.	
	SUPPLEMENT TO REPORT #		
THIS IS UNEVALUATED INFORMATION			
<p>1. Up until 1954, the Hungarian State Railways used three types of rail switches designated 48 I, 48 II, and 48 III. All of these switches employed pivot points in which the rails were physically separated. From 1954 to the present a new type switch in which the pivot points are continuous rails with the flanges left off, has been used. These types are designated 48 VI, 48 VII, 48 VIII, 48 XI, 48 XII, and 48 XIII.</p>			
<p>Illustration 1: This is a plan drawing of the conventional old style switch, with annotated measurements, common to all Hungarian rail lines and yards.</p> <p>Point #1: The "point" rail pivot (inner). Point #2: The "point" rail pivot arm (outer). Point #3: The "point" rail pivot (outer). Point #4: Manual or electric switch actuator. Point #5: Tip of "point" rails.</p> <p>Letters a and b refer to corresponding switch dimensions in Illustration 6.</p> <p>Illustration 2: Rail shape diagram (old style switch) all points are common to those in Illustration 1.</p> <p>Illustration 3: This is a plan drawing of the new spring-rail type switch used on all lines since 1954. There is no break in the rail at the pivot, however, the rail flanges are removed at the pivot allowing for free lateral movement of the point rails.</p>			
C-O-N-F-I-D-E-N-T-I-A-L			
DISTRIBUTION	STATE	ARMY	NAVY
			AIR

25X1

25X1

25X1

25X1

C-O-N-F-I-D-E-N-T-I-A-L

-2-

25X1

Illustration 4: This is a plan view of the point rail on the new type of switch.

- Point #1: Corresponds to Point #5 on old rail.
- Point #2: Corresponds to Point #2 on old rail.
- Point #3: This is the deflanged portion of the point rail.
- Point #4: A cross section of the point rail at Point #3.

Illustration 5: Depicts the signal for each switch position for either the old or new type switch.

Illustration 6: The exact dimensions, radii and angle or turnout for each old type of switch are shown. Type 48 refers to the rail weight and the Roman numeral indicates the type of switch, ie, 48 III indicates a switch using Type 48 rails with dimensions as indicated. This system permits easy reference in designing yards and drafting blueprints.

Illustration 7: The exact dimensions of new type switches are given.

Illustration 8: Indicates the applications that were used for all types of switches.

NOTE: Turnout ratio figures are affixed under each type of switch, ie, 1:9, 1:6, etc. The initial M L indicates Main Line.

2. During 1956 Hungarian State Railway design engineers designed a simple four-way railway turnout.

25X1

25X1

Illustration 1: Simple plan view of four-way turnout.

- Point #1: Point rail pivots.
- Point #2: Turnout rails.
- Point #3: Main and crossover line rails.
- Point #4: Internal main line and crossover rails.

Illustration 2: Dimensions of the four-way turnout.

Illustration 3: Signals for positions of turnout, indicating the direction of the switches.

3. Since World War II, the Hungarian State Railways have completed or are planning a number of Delta-type switch lines which will tend to speed up traffic by bypassing various railway yards and metropolitan rail complexes.

25X1

25X1

Point #1: Planned (1957) Delta-Switch line on the Miskolc-Budapest, Miskolc-Biosgyor lines to afford direct access from Budapest to the iron plant at Biosgyor without entering the Miskolc yards for turnaround.

Point #2: A delta-switch line connecting the Miskolc-Banreue line with the Banreue-Ozd line delta was built shortly after World War II.

Point #3: A delta-switch line at Kuzsentsiklos which provides access to Czechoslovakia, through Szolnok, from Yugoslavia, without passing through the Budapest rail complex. Built in 1951.

C-O-N-F-I-D-E-N-T-I-A-L

C-O-N-F-I-D-E-N-T-I-A-L


-3-



25X1

Point #4: (Planned for 1957) a delta-switch line located in the south outskirts of Miskolc to connect the Budapest-Hyekladhaza line with the Hyekladhaza-Tiszapalkonya line without passing through the Hyekladhaza yards.

Point #5: A delta-switch line near Matvan to provide uninterrupted access (without switching into yards or turntables) from Budapest to Szolnok. Built during early post World War II days.]




25X1

C-O-N-F-I-D-E-N-T-I-A-L


25X1

Page Denied


PAGE 6 OF 7 PAGES




ILL # 1






ILL # 2



ILL # 3





(always white lights)



25X1

Fig # 2
FOUR-WAY RAILWAY TURNOUT
Sketch

25X1



ILL #3

1954 to Present Types 48 XI, XII, XIII, VI, VII + VIII




Point Rail

Point Rail

ILL #2

Up Till - 1952-1954

From 1954 → ON



ILL #6

ILL #7




FIG #1
SWITCH SYSTEMS
Sketch

25X1

25X1

ILLEGIB

Page Denied

Next 1 Page(s) In Document Denied